

Type: Full
Date: 11/02/23
Time: 09:45:23
Report: 1036231289

Food and Beverage Establishment Inspection Report

Page 1

Location:

J. F. Kennedy Elementary
Brittney Hirschauer, Fd. Ser.
1175 Tyler Street
Hastings, MN55033
Dakota County, 19

Establishment Info:

ID #: 0015007
Risk: Medium
Announced Inspection: No

License Categories:

FAIF, FBLB, HOSP, FBSC, FBC2

Expires on: 12/31/23

Operator:

Ind. School District No. 200

Phone #: 6514807126
ID #: 16838

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders previously issued on 04/18/23 have NOT been corrected.

4-500 Equipment Maintenance and Operation

4-501.11AB

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

OBSERVED A COUPLE LIGHTS OUT IN THE WALK IN FREEZER. REPLACE AND MAINTAIN.

Issued on: 04/18/23

Comply By: 05/16/23

No NEW orders were issued during this inspection.

Surface and Equipment Sanitizers

WASH TEMP: = at 162 Degrees Fahrenheit

Location: DISH MACHINE

Violation Issued: No

UTENSIL SURFACE TEMP: = at 170 Degrees Fahrenheit

Location: DISH MACHINE

Violation Issued: No

FINAL RINSE TEMP: = at 189 Degrees Fahrenheit

Location: DISH MACHINE

Violation Issued: No

QUATERNARY AMMONIA: = 200 PPM at Degrees Fahrenheit

Location: SANI BUCKET

Violation Issued: No

Food and Equipment Temperatures

Type: Full
Date: 11/02/23
Time: 09:45:23
Report: 1036231289
J. F. Kennedy Elementary

Food and Beverage Establishment Inspection Report

Page 2

Process/Item: Cold Hold/HAM
Temperature: 38 Degrees Fahrenheit - Location: WALK IN COOLER
Violation Issued: No

Process/Item: Ambient Temp
Temperature: 37 Degrees Fahrenheit - Location: WALK IN COOLER
Violation Issued: No

Process/Item: Ambient Temp
Temperature: 0 Degrees Fahrenheit - Location: WALK IN FREEZER
Violation Issued: No

Process/Item: Cold Hold/YOGURT
Temperature: 39 Degrees Fahrenheit - Location: TRAULSEN COOLER
Violation Issued: No

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	0	1

UNANNOUNCED FULL OPERATIONAL INSPECTION WAS CONDUCTED BY JEFF JOHANSON.

DISCUSSED THE FOLLOWING:

- EMPLOYEE ILLNESS POLICY AND LOG
- HANDWASHING
- GLOVE USE
- SANITIZER USE AND TEST KITS
- THERMOMETER USE AND CALIBRATION
- PEST CONTROL
- ALL VIOLATIONS ON THIS REPORT

****IF ANY STUDENTS OR STAFF COMPLAIN OF ILLNESS, CONTACT THE MINNESOTA DEPARTMENT OF HEALTH AND PROVIDE THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER TO THE CUSTOMER. THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER IS 1-877-366-3455.**

Type: Full
Date: 11/02/23
Time: 09:45:23
Report: 1036231289
J. F. Kennedy Elementary

Food and Beverage Establishment Inspection Report

Page 3

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the inspection report number 1036231289 of 11/02/23.

Certified Food Protection Manager: Tammie Sieben

Certification Number: FM16084 Expires: 10/22/26

Inspection report reviewed with person in charge and emailed.

Signed: _____

Tammie Sieben
Kitchen Manager

Signed: _____

Jeff Johanson